

BUSTER + PUNCH

BUSTER BULB / TEARDROP

TECH SPEC



BUSTER BULB / CRYSTAL



BUSTER BULB / GOLD



BUSTER BULB / SMOKED


BUSTER BULB







The World's first designer LED bulb. This bulb consumes just 1/20th of the energy of traditional bulbs with a life span of 30,000 hours. Available in CRYSTAL, GOLD or SMOKED finish. The resin light pipe at the centre of the bulb is where all the magic happens, allowing the bulb to create a subtle ambient light whilst at the same time throw focused spot light onto tables & surfaces below. The bulb fits in any E27 screw light fitting, but looks especially great when teamed up with our HEAVY METAL or HOOKED lighting ranges.

busterandpunch.com
info@busterandpunch.com



BUSTER BULB / TEARDROP / NON-DIMMABLE
TECH SPEC



FINISH	SKU	FINISH	SKU
 Crystal / Non-Dimmable / Polycarbonate	BB-TD-E27-ND-CR-B	 Crystal / Non-Dimmable / Glass	CBB-121029
 Gold / Non-Dimmable / Polycarbonate	BB-TD-E27-ND-GO-B	 Gold / Non-Dimmable / Glass	CBB-131031
 Smoked / Non-Dimmable / Polycarbonate	BB-TD-E27-ND-SM-B	 Smoked / Non-Dimmable / Glass	CBB-091030

SPECIFICATIONS	
Power: 2W Type: Non-Dimmable LED Screw fitting: E27 Supply: 240 VAC Expected Life: 30 000 hrs Lumen: Crystal 125, Gold 100, Smoked 75. Light appearance: Crystal 2700k, Gold 2500k, Smoked 2500k. CRI: 80	Power factor: 0.5 CE certified.* For indoor use only.

CARE INSTRUCTIONS

Wipe with damp cloth with no loose hairs, avoid using any chemicals. Please note all finishes are prone to aging.

* Official data doc can be supplied upon request.


PLEASE NOTE

The non-dimmable LED BUSTER BULB is only compatible with on/off switches.

If you are looking to use this product in conjunction with a smart or home automation system, please refer to the system manufactures guidance to check compatibility. Our bulbs are mains operated at 240VAC. To avoid disappointment, please ensure a compatible smart module is fitted before purchase.


SPECTRAL IRRADIANCE AT 3M

2W NON-DIMMABLE



busterandpunch.com
info@busterandpunch.com

POLAR CANDELA DISTRIBUTION




busterandpunch.com
info@busterandpunch.com

CRI 1931

2W NON-DIMMABLE

CIE 1931 Chromaticity Cx: 0.4668
CIE 1931 Chromaticity Cy: 0.4179



busterandpunch.com
info@busterandpunch.com